

WEST

Help

Logout

Interrupt

Main Menu

Search Form

Posting Counts

Show S Numbers

Edit S Numbers

Preferences

Cases

Search Results -

Terms	Documents
((battery or cell) and electrode and electrolyte and (pore adj size) and (surface adj area))	6

Database:

US Patents Full-Text Database
 US Pre-Grant Publication Full-Text Database
JPO Abstracts Database
 EPO Abstracts Database
 Derwent World Patents Index
 IBM Technical Disclosure Bulletins

Search:

L4

Refine Search

Recall Text

Clear

Search History
 DATE: Sunday, June 02, 2002 [Printable Copy](#) [Create Case](#)
Set Name Query

side by side

Hit Count Set Name

result set

DB=JPAB; PLUR=YES; OP=OR

L4 ((battery or cell) and electrode and electrolyte and (pore adj size) and (surface adj area))

6 L4*DB=EPAB; PLUR=YES; OP=OR*

L3 ((battery or cell) and electrode and electrolyte and (pore adj size) and (surface adj area))

0 L3*DB=DWPI; PLUR=YES; OP=OR*

L2 ((battery or cell) and electrode and electrolyte and (pore adj size) and (surface adj area))

8 L2*DB=USPT; PLUR=YES; OP=OR*

L1 ((battery or cell) and electrode and electrolyte and (pore adj size) and (surface adj area)).clm.

20 L1

END OF SEARCH HISTORY

WEST[Help](#)[Logout](#)[Interrupt](#)[Main Menu](#)[Search Form](#)[Posting Counts](#)[Show S Numbers](#)[Edit S Numbers](#)[Preferences](#)[Cases](#)**Search Results -**

Terms	Documents
(lithium and battery and electrode and electrolyte).clm. and (molten adj salt).clm.	5

Database:

- US Patents Full-Text Database
- US Pre-Grant Publication Full-Text Database
- JPO Abstracts Database
- EPO Abstracts Database
- Derwent World Patents Index
- IBM Technical Disclosure Bulletins

Search:

L9

[Refine Search](#)[Recall Text](#)[Clear](#)**Search History**DATE: Sunday, June 02, 2002 [Printable Copy](#) [Create Case](#)**Set Name Query**

side by side

Hit Count Set Name

result set

DB=USPT; PLUR=YES; OP=OR

<u>L9</u>	(lithium and battery and electrode and electrolyte).clm. and (molten adj salt).clm.	5	<u>L9</u>
<u>L8</u>	(battery and lithium and electrode).clm. and (particle adj size) and (aspect adj ratio)	14	<u>L8</u>
<u>L7</u>	(battery and lithium and electrode and (particle adj size)) and (aspect adj ratio)	53	<u>L7</u>
<u>L6</u>	L1 and (aspect adj ratio)	2	<u>L6</u>
<u>L5</u>	L2 and oxide.clm.	15	<u>L5</u>
<u>L4</u>	L2 and oxide	25	<u>L4</u>
<u>L3</u>	L and oxide2	5	<u>L3</u>
<u>L2</u>	L1 and intercalation	30	<u>L2</u>
<u>L1</u>	(battery and lithium and electrode and (particle adj size)).clm.	59	<u>L1</u>

WEST

Generate Collection

Print

L2: Entry 3 of 8

File: DWPI

Mar 28, 2001

DERWENT-ACC-NO: 2000-072371

DERWENT-WEEK: 200118

COPYRIGHT 2002 DERWENT INFORMATION LTD

TITLE: Electrodes for primary or secondary electrochemical generator, e.g. lithium ion battery

INVENTOR: GRAETZEL, M; PAPPAS, N ; SUGNAUX, F R

PATENT-ASSIGNEE:

ASSIGNEE

ECOLE POLYTECHNIQUE FEDERALE LAUSANNE

CODE

ECOLN

PARENT

PRIORITY-DATA: 1998EP-0810431 (May 12, 1998)

PATENT-FAMILY:

PUB-NO	PUB-DATE	LANGUAGE	PAGES	MAIN-IPC
EP 1086506 A1	March 28, 2001	E	000	H01M010/40
WO 9959218 A1	November 18, 1999	E	029	H01M010/40

DESIGNATED-STATES: CH DE FR GB IE LI NL CN JP US AT BE CH CY DE DK ES FI FR GB GR IE IT LU MC NL PT SE

APPLICATION-DATA:

PUB-NO	APPL-DATE	APPL-NO	DESCRIPTOR
EP 1086506A1	May 8, 1999	1999EP-0932452	
EP 1086506A1	May 8, 1999	1999WO-EP03261	
EP 1086506A1		WO 9959218	Based on
WO 9959218A1	May 8, 1999	1999WO-EP03261	

INT-CL (IPC): H01 M 4/48; H01 M 4/58; H01 M 10/40

ABSTRACTED-PUB-NO: WO 9959218A

BASIC-ABSTRACT:

NOVELTY - Mesoporous electrodes (1,2) having higher electric power density and higher ion exchange capacity are connected together by an electrolyte and are used in a primary or secondary electrochemical generator.

DETAILED DESCRIPTION - High capacity and high power density primary or secondary electrochemical generator has two mesoporous electrodes (1,2) that are connected together by an electrolyte. The electrodes are used to support different electroactive materials which can be oxides or chalcogenides of transition metals or their lithiated or partially lithiated forms like TiO₂, Nb₂O₅, WO₃, V₂O₅, MoO₃, MnO₂, Li_xMn₂O₄, HfO₂, TiS₂, WS₂, TiSe₂, Li_xNiO₂, Li_xCoO₂, Li_x(NiCo)O₂, Fe₂O₃, Fe₃O₄, RuO_x, Fe_xS₂, Ru_xS₂, MoS₂, WS₂, Ir_xO₂, Ce_xO₂, Li_xNayMnOzIn, In_xO₃, TaxO₅, SnM_xO_y or Sn_xO₂ in mesoporous form having a pore size of 0.001-10 micron and a specific surface area of 2-2000 m²/g (n is less than 1 and M is one or more glass forming metallic elements).

USE - The electrodes are used as cathode or anode in a primary or secondary electrochemical generators.

ADVANTAGE - The electrodes provide a primary or secondary electrochemical generator having enhanced power and energy density. The electrodes also provide optimal performance and mechanical strength of the generator and improve local heat dissipation or exchange from the solid during high rate discharge, thus protecting the sensitive materials of the generator from degradation.

DESCRIPTION OF DRAWING(S) - The figure shows a side view of an electrochemical generator showing the arrangement of the internal layers.

Mesoporous electrodes 1,2

Separator layer 3

Current collectors 4,5

CHOSEN-DRAWING: Dwg.1/7

TITLE-TERMS: ELECTRODE PRIMARY SECONDARY ELECTROCHEMICAL GENERATOR LITHIUM ION BATTERY

DERWENT-CLASS: A85 E19 L03 X16

CPI-CODES: A12-E06A; E07-D09A; E10-A08C; E10-A09B8; E10-A10D; E10-A17B; E10-G02H1; E11-N; E31-K07; E31-L; E31-M; E31-Q06; E34-C03; E34-E; E35-F; E35-H; E35-K02; E35-K04; E35-L; E35-N; E35-Q; E35-S; E35-U02; E35-U05; E35-V; E35-W; E35-X; E35-Y; L03-E01B;

EPI-CODES: X16-A02A; X16-B01F1; X16-E01C1; X16-E01G; X16-J02; X16-J08;

CHEMICAL-CODES:

Chemical Indexing M3 *01*

Fragmentation Code

A426 A940 C108 C550 C730 C801 C802 C803 C804 C805
C807 M411 M424 M740 M781 M904 M905 Q010

Specific Compounds

03239K 03239U

Registry Numbers

1508U

Chemical Indexing M3 *02*

Fragmentation Code

A672 A940 C108 C550 C730 C801 C802 C803 C804 C805
C807 M411 M424 M740 M781 M904 M905 Q010

Specific Compounds

08630K 08630U

Chemical Indexing M3 *03*

Fragmentation Code

A426 A940 C108 C550 C730 C801 C802 C803 C804 C805
C807 M411 M424 M740 M781 M904 M905 M910 Q010

Specific Compounds

01508K 01508U

Registry Numbers

1508U

Chemical Indexing M3 *04*

Fragmentation Code

A425 A940 C108 C550 C730 C801 C802 C803 C804 C805
C807 M411 M424 M740 M781 M904 M905 Q010

Specific Compounds

01936K 01936U